United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/520,924	01/11/2005	Raymond Joseph Roussy	1000P07US	4828
26131 7590 01/29/2007 NORMAN M. CAMERON SUITE 1401 - 1166 ALBERNI STREET			EXAMINER	
			TSAY, FRANK	
VANCOUVER, CANADA	BC V6E 3Z3		ART UNIT	PAPER NUMBER
On Wilder			3672	
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		01/29/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Commence	10/520,924	ROUSSY, RAYMOND JOSEPH				
Office Action Summary	Examiner	Art Unit				
	Frank S. Tsay	3672				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on 11 Ja	nuary 2005	•				
_	action is non-final.					
/						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-18</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-18</u> is/are rejected.						
7) Claim(s) is/are objected to.	\cdot					
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner						
10) ☐ The drawing(s) filed on 11 January 2005 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
_		(1) (5)				
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
a)⊠ All b)□ Some * c)□ None of: 1.☑ Certified copies of the priority documents	have been seed as					
— The state of the process of the pr						
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
occ the attached detailed Office action for a list of the certified copies not received.						
Attonbus 24/2)						
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
B) Information Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of Informal Pa					
Paper No(s)/Mail Date 1/11/05.	6) Other:					

Application/Control Number: 10/520,924

Art Unit: 3672

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 16- 18 are rejected under 35 U.S.C. 102(b) as being anticipated by US Patent 5,086,854 to Roussy.

Roussy discloses a drill pipes for rotary-vibratory drills which comprises all of the claimed structure and method of using the same. More specifically, the drill pipe is met by the drill pipes 16, 16.1, the connector member is anticipated by female and male mating portion 36,34 which are mating with drill pipes 16.1 and 16 respectively. The spaced aprt slots are anticipated by slots 60, 62 at each end of the drill pipes. The connectors are also welded to the each of the drill pipes at its end respectively (see Fig. 2 and 3). The language "the end of drill pipe is completely welded to the connector member in a ring" fails to distinguish from Fig. 2, that the end of drill pipe is completely welded to the connector member in a 360 degrees manner.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3672

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-15 are rejected under 35 U.S.C. 103(a) as being obvious over by US Patent 5,086,854 to Roussy.

The '854 shows everything with the exception that the slots being non-parallel to the longitudinal axis of the drill pipe as being clearly shown in Fig. 2. Such a modification in the size, the shape and/or the pattern of the slots as a legal precedent is generally recognized as being within the level of ordinary skill in the art. See In re Rose, 105 USPQ 237 (CCPA 1955), in the standpoint of welding slotted pipe to a connector, since there is an obvious lack of functional significance that such could present any unexpected result beyond what had been taught in the prior art.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Frank S. Tsay whose telephone number is (571) 272-7038. The examiner can normally be reached on Monday thru Friday, 7:30am-5:00 pm, 2nd Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Bagnell can be reached on (571)272-6999. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/520,924

Art Unit: 3672

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Frank S Tsay Primary Examiner Art Unit 3672

1/20/07